


Adjustable handle ERZ.SST / ERZ.SST-P Male and female

Especially indicated in maneuvers where the angle of rotation of the lever is limited for reasons of space.

The slightly arched shape of the handle, with a thickened ergonomic end, offers a comfortable and secure grip to the operator's hand while the thumb finds a natural rest on the button.

[Catalog access](#)

Image not found or type unknown



ERZ.SST adjustable handle

- Lever body made of special technopolymer, reinforced with fiberglass, black, matte finish. Resistant to solvents, oils, greases and other chemical agents.
- AISI-303 stainless steel fixing element with threaded and serrated hole for coupling with the lever body. Number of teeth indicated in catalog.
- Pin and retaining spring in AISI-303 and 301 stainless steel.
- Especially indicated in maneuvers where the angle of rotation of the lever is limited for reasons of space.
- The slightly arched shape of the handle, with a thickened ergonomic end, offers a comfortable and secure grip to the operator's hand while the thumb finds a natural rest on the button.
- [Catalog access](#)

Adjustable handle ERZ.SST-p

- Lever body made of special technopolymer, reinforced with fiberglass, black, matte finish. Resistant to solvents, oils, greases and other chemical agents.
- AISI-303 stainless steel fixing element with threaded and serrated stud for coupling with the lever body. Number of teeth indicated in catalog.
- Pin and retaining spring in AISI-303 and 301 stainless steel.



Technical information

| Código | Elementos standard | | Dimensiones principales | | | | | | | | | | Agujero de montaje | | Dientes n. | Peso |
|-------------|--------------------|--------------------|-------------------------|------|------|------|------|------|-----|------|------|------|--------------------|----|------------|------|
| | Ref. | Descripción | R | L | D | H | H 1 | h 1 | h 2 | h 3 | d 1 | l 1 | d | h | z | g |
| | 239105 | ERZ.44 SST-M5 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M5 | 8 | 18 | 16 |
| | 239106 | ERZ.44 SST-M6 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M6 | 8 | 18 | 15 |
| | 239135 | ERZ.63 SST-M6 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M6 | 10 | 24 | 36 |
| 44310239136 | 239136 | ERZ.63 SST-M8 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M8 | 10 | 24 | 34 |
| | 239155 | ERZ.78 SST-M8 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M8 | 14 | 26 | 61 |
| | 239156 | ERZ.78 SST-M10 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M10 | 14 | 26 | 55 |
| | 239175 | ERZ.95 SST-M10 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M10 | 17 | 28 | 93 |
| | 239176 | ERZ.95 SST-M12 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M12 | 17 | 28 | 86 |
| Código | Elementos standard | | Dimensiones principales | | | | | | | | | | Agujero de montaje | | Dientes n. | Peso |
| | Ref. | Descripción | R | L | D | H | H 1 | h 1 | h 2 | h 3 | d 1 | l 1 | d | l | z | g |
| | 239233 | ERZ.44 SST-p-M5x12 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M5 | 12 | 18 | 17 |
| | 239235 | ERZ.44 SST-p-M5x16 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M5 | 16 | 18 | 18 |
| | 239237 | ERZ.44 SST-p-M5x20 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M5 | 20 | 18 | 19 |
| | 239239 | ERZ.44 SST-p-M5x25 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M5 | 25 | 18 | 20 |
| | 239241 | ERZ.44 SST-p-M5x32 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M5 | 32 | 18 | 21 |
| | 239243 | ERZ.44 SST-p-M5x40 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M5 | 40 | 18 | 22 |
| | 239245 | ERZ.44 SST-p-M5x50 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M5 | 50 | 18 | 23 |
| | 239253 | ERZ.44 SST-p-M6x12 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M6 | 12 | 18 | 19 |
| | 239255 | ERZ.44 SST-p-M6x16 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M6 | 16 | 18 | 20 |

| | | | | | | | | | | | | | | | | |
|-------------|--------|--------------------|----|------|------|------|------|------|-----|------|------|------|----|----|----|----|
| | 239257 | ERZ.44 SST-p-M6x20 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M6 | 20 | 18 | 21 |
| | 239259 | ERZ.44 SST-p-M6x25 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M6 | 25 | 18 | 22 |
| | 239423 | ERZ.44 SST-p-M6x32 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M6 | 32 | 18 | 23 |
| | 239425 | ERZ.44 SST-p-M6x40 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M6 | 40 | 18 | 24 |
| | 239427 | ERZ.44 SST-p-M6x50 | 44 | 52 | 15.5 | 30.5 | 34 | 24.5 | 3.5 | 22.5 | 10 | 11 | M6 | 50 | 18 | 27 |
| | 239429 | ERZ.63 SST-p-M6x16 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M6 | 16 | 24 | 40 |
| | 239431 | ERZ.63 SST-p-M6x20 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M6 | 20 | 24 | 41 |
| | 239433 | ERZ.63 SST-p-M6x25 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M6 | 25 | 24 | 42 |
| | 239435 | ERZ.63 SST-p-M6x32 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M6 | 32 | 24 | 43 |
| | 239437 | ERZ.63 SST-p-M6x40 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M6 | 40 | 24 | 44 |
| | 239439 | ERZ.63 SST-p-M6x50 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M6 | 50 | 24 | 46 |
| | 239441 | ERZ.63 SST-p-M6x63 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M6 | 63 | 24 | 48 |
| | 239453 | ERZ.63 SST-p-M8x16 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M8 | 16 | 24 | 42 |
| | 239455 | ERZ.63 SST-p-M8x20 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M8 | 20 | 24 | 46 |
| | 239457 | ERZ.63 SST-p-M8x25 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M8 | 25 | 24 | 48 |
| 44310239459 | 239459 | ERZ.63 SST-p-M8x32 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M8 | 32 | 24 | 50 |
| | 239643 | ERZ.63 SST-p-M8x40 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M8 | 40 | 24 | 52 |
| 44310238363 | 239645 | ERZ.63 SST-p-M8x50 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M8 | 50 | 24 | 54 |
| | 239647 | ERZ.63 SST-p-M8x63 | 63 | 73.5 | 19 | 38.5 | 42 | 31 | 3.5 | 30 | 13.5 | 13.5 | M8 | 63 | 24 | 58 |
| | 239673 | ERZ.78 SST-p-M8x20 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M8 | 20 | 26 | 69 |
| | 239675 | ERZ.78 SST-p-M8x25 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M8 | 25 | 26 | 72 |
| | 239677 | ERZ.78 SST-p-M8x32 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M8 | 32 | 26 | 76 |
| | 239679 | ERZ.78 SST-p-M8x40 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M8 | 40 | 26 | 80 |
| | 239681 | ERZ.78 SST-p-M8x50 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M8 | 50 | 26 | 84 |
| | 239683 | ERZ.78 SST-p-M8x63 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M8 | 63 | 26 | 89 |

| | | | | | | | | | | | | | | | |
|--------|---------------------|----|------|------|------|------|----|-----|----|----|----|-----|----|----|-----|
| 239685 | ERZ.78 SST-p-M8x80 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M8 | 80 | 26 | 97 |
| 239653 | ERZ.78 SST-p-M10x20 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M10 | 20 | 26 | 73 |
| 239655 | ERZ.78 SST-p-M10x25 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M10 | 25 | 26 | 76 |
| 239657 | ERZ.78 SST-p-M10x32 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M10 | 32 | 26 | 80 |
| 239659 | ERZ.78 SST-p-M10x40 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M10 | 40 | 26 | 84 |
| 239661 | ERZ.78 SST-p-M10x50 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M10 | 50 | 26 | 88 |
| 239663 | ERZ.78 SST-p-M10x63 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M10 | 63 | 26 | 94 |
| 239665 | ERZ.78 SST-p-M10x80 | 78 | 90.5 | 23 | 45 | 50.5 | 36 | 3.5 | 35 | 16 | 16 | M10 | 80 | 26 | 102 |
| 239823 | ERZ.95 SST-p-M10x20 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M10 | 20 | 28 | 113 |
| 239825 | ERZ.95 SST-p-M10x25 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M10 | 25 | 28 | 115 |
| 239827 | ERZ.95 SST-p-M10x32 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M10 | 32 | 28 | 118 |
| 239829 | ERZ.95 SST-p-M10x40 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M10 | 40 | 28 | 121 |
| 239831 | ERZ.95 SST-p-M10x50 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M10 | 50 | 28 | 128 |
| 239833 | ERZ.95 SST-p-M10x63 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M10 | 63 | 28 | 133 |
| 239835 | ERZ.95 SST-p-M10x80 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M10 | 80 | 28 | 141 |
| 239849 | ERZ.95 SST-p-M12x20 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M12 | 20 | 28 | 117 |
| 239851 | ERZ.95 SST-p-M12x25 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M12 | 25 | 28 | 122 |
| 239853 | ERZ.95 SST-p-M12x32 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M12 | 32 | 28 | 125 |
| 239855 | ERZ.95 SST-p-M12x40 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M12 | 40 | 28 | 132 |
| 239857 | ERZ.95 SST-p-M12x50 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M12 | 50 | 28 | 138 |
| 239859 | ERZ.95 SST-p-M12x63 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M12 | 63 | 28 | 148 |
| 239861 | ERZ.95 SST-p-M12x80 | 95 | 109 | 26.5 | 56.5 | 61.5 | 43 | 5 | 45 | 19 | 18 | M12 | 80 | 28 | 160 |