


## Adjustable handle ERZ.SST / ERZ.SST-P Male and female

Especially indicated in maneuvers where the angle of rotation of the lever is limited for reasons of space.

The slightly arched shape of the handle, with a thickened ergonomic end, offers a comfortable and secure grip to the operator's hand while the thumb finds a natural rest on the button.

[Catalog access](#)

Image not found or type unknown



### ERZ.SST adjustable handle

- Lever body made of special technopolymer, reinforced with fiberglass, black, matte finish. Resistant to solvents, oils, greases and other chemical agents.
- AISI-303 stainless steel fixing element with threaded and serrated hole for coupling with the lever body. Number of teeth indicated in catalog.
- Pin and retaining spring in AISI-303 and 301 stainless steel.
- Especially indicated in maneuvers where the angle of rotation of the lever is limited for reasons of space.
- The slightly arched shape of the handle, with a thickened ergonomic end, offers a comfortable and secure grip to the operator's hand while the thumb finds a natural rest on the button.
- [Catalog access](#)

### Adjustable handle ERZ.SST-p

- Lever body made of special technopolymer, reinforced with fiberglass, black, matte finish. Resistant to solvents, oils, greases and other chemical agents.
- AISI-303 stainless steel fixing element with threaded and serrated stud for coupling with the lever body. Number of teeth indicated in catalog.
- Pin and retaining spring in AISI-303 and 301 stainless steel.



## Technical information

Código	Elementos standard		Dimensiones principales										Agujero de montaje		Dientes n.	Peso
	Ref.	Descripción	R	L	D	H	H 1	h 1	h 2	h 3	d 1	l 1	d	h	z	g
	239105	ERZ.44 SST-M5	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M5	8	18	16
	239106	ERZ.44 SST-M6	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M6	8	18	15
	239135	ERZ.63 SST-M6	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M6	10	24	36
44310239136	239136	ERZ.63 SST-M8	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M8	10	24	34
	239155	ERZ.78 SST-M8	78	90.5	23	45	50.5	36	3.5	35	16	16	M8	14	26	61
	239156	ERZ.78 SST-M10	78	90.5	23	45	50.5	36	3.5	35	16	16	M10	14	26	55
	239175	ERZ.95 SST-M10	95	109	26.5	56.5	61.5	43	5	45	19	18	M10	17	28	93
	239176	ERZ.95 SST-M12	95	109	26.5	56.5	61.5	43	5	45	19	18	M12	17	28	86
Código	Elementos standard		Dimensiones principales										Agujero de montaje		Dientes n.	Peso
	Ref.	Descripción	R	L	D	H	H 1	h 1	h 2	h 3	d 1	l 1	d	l	z	g
	239233	ERZ.44 SST-p-M5x12	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M5	12	18	17
	239235	ERZ.44 SST-p-M5x16	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M5	16	18	18
	239237	ERZ.44 SST-p-M5x20	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M5	20	18	19
	239239	ERZ.44 SST-p-M5x25	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M5	25	18	20
	239241	ERZ.44 SST-p-M5x32	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M5	32	18	21
	239243	ERZ.44 SST-p-M5x40	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M5	40	18	22
	239245	ERZ.44 SST-p-M5x50	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M5	50	18	23
	239253	ERZ.44 SST-p-M6x12	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M6	12	18	19
	239255	ERZ.44 SST-p-M6x16	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M6	16	18	20

	239257	ERZ.44 SST-p-M6x20	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M6	20	18	21
	239259	ERZ.44 SST-p-M6x25	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M6	25	18	22
	239423	ERZ.44 SST-p-M6x32	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M6	32	18	23
	239425	ERZ.44 SST-p-M6x40	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M6	40	18	24
	239427	ERZ.44 SST-p-M6x50	44	52	15.5	30.5	34	24.5	3.5	22.5	10	11	M6	50	18	27
	239429	ERZ.63 SST-p-M6x16	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M6	16	24	40
	239431	ERZ.63 SST-p-M6x20	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M6	20	24	41
	239433	ERZ.63 SST-p-M6x25	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M6	25	24	42
	239435	ERZ.63 SST-p-M6x32	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M6	32	24	43
	239437	ERZ.63 SST-p-M6x40	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M6	40	24	44
	239439	ERZ.63 SST-p-M6x50	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M6	50	24	46
	239441	ERZ.63 SST-p-M6x63	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M6	63	24	48
	239453	ERZ.63 SST-p-M8x16	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M8	16	24	42
	239455	ERZ.63 SST-p-M8x20	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M8	20	24	46
	239457	ERZ.63 SST-p-M8x25	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M8	25	24	48
44310239459	239459	ERZ.63 SST-p-M8x32	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M8	32	24	50
	239643	ERZ.63 SST-p-M8x40	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M8	40	24	52
44310238363	239645	ERZ.63 SST-p-M8x50	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M8	50	24	54
	239647	ERZ.63 SST-p-M8x63	63	73.5	19	38.5	42	31	3.5	30	13.5	13.5	M8	63	24	58
	239673	ERZ.78 SST-p-M8x20	78	90.5	23	45	50.5	36	3.5	35	16	16	M8	20	26	69
	239675	ERZ.78 SST-p-M8x25	78	90.5	23	45	50.5	36	3.5	35	16	16	M8	25	26	72
	239677	ERZ.78 SST-p-M8x32	78	90.5	23	45	50.5	36	3.5	35	16	16	M8	32	26	76
	239679	ERZ.78 SST-p-M8x40	78	90.5	23	45	50.5	36	3.5	35	16	16	M8	40	26	80
	239681	ERZ.78 SST-p-M8x50	78	90.5	23	45	50.5	36	3.5	35	16	16	M8	50	26	84
	239683	ERZ.78 SST-p-M8x63	78	90.5	23	45	50.5	36	3.5	35	16	16	M8	63	26	89

239685	ERZ.78 SST-p-M8x80	78	90.5	23	45	50.5	36	3.5	35	16	16	M8	80	26	97
239653	ERZ.78 SST-p-M10x20	78	90.5	23	45	50.5	36	3.5	35	16	16	M10	20	26	73
239655	ERZ.78 SST-p-M10x25	78	90.5	23	45	50.5	36	3.5	35	16	16	M10	25	26	76
239657	ERZ.78 SST-p-M10x32	78	90.5	23	45	50.5	36	3.5	35	16	16	M10	32	26	80
239659	ERZ.78 SST-p-M10x40	78	90.5	23	45	50.5	36	3.5	35	16	16	M10	40	26	84
239661	ERZ.78 SST-p-M10x50	78	90.5	23	45	50.5	36	3.5	35	16	16	M10	50	26	88
239663	ERZ.78 SST-p-M10x63	78	90.5	23	45	50.5	36	3.5	35	16	16	M10	63	26	94
239665	ERZ.78 SST-p-M10x80	78	90.5	23	45	50.5	36	3.5	35	16	16	M10	80	26	102
239823	ERZ.95 SST-p-M10x20	95	109	26.5	56.5	61.5	43	5	45	19	18	M10	20	28	113
239825	ERZ.95 SST-p-M10x25	95	109	26.5	56.5	61.5	43	5	45	19	18	M10	25	28	115
239827	ERZ.95 SST-p-M10x32	95	109	26.5	56.5	61.5	43	5	45	19	18	M10	32	28	118
239829	ERZ.95 SST-p-M10x40	95	109	26.5	56.5	61.5	43	5	45	19	18	M10	40	28	121
239831	ERZ.95 SST-p-M10x50	95	109	26.5	56.5	61.5	43	5	45	19	18	M10	50	28	128
239833	ERZ.95 SST-p-M10x63	95	109	26.5	56.5	61.5	43	5	45	19	18	M10	63	28	133
239835	ERZ.95 SST-p-M10x80	95	109	26.5	56.5	61.5	43	5	45	19	18	M10	80	28	141
239849	ERZ.95 SST-p-M12x20	95	109	26.5	56.5	61.5	43	5	45	19	18	M12	20	28	117
239851	ERZ.95 SST-p-M12x25	95	109	26.5	56.5	61.5	43	5	45	19	18	M12	25	28	122
239853	ERZ.95 SST-p-M12x32	95	109	26.5	56.5	61.5	43	5	45	19	18	M12	32	28	125
239855	ERZ.95 SST-p-M12x40	95	109	26.5	56.5	61.5	43	5	45	19	18	M12	40	28	132
239857	ERZ.95 SST-p-M12x50	95	109	26.5	56.5	61.5	43	5	45	19	18	M12	50	28	138
239859	ERZ.95 SST-p-M12x63	95	109	26.5	56.5	61.5	43	5	45	19	18	M12	63	28	148
239861	ERZ.95 SST-p-M12x80	95	109	26.5	56.5	61.5	43	5	45	19	18	M12	80	28	160