


## Vibration damper with stainless steel stud

Anti-vibration damper with A-304 stainless steel stud and with stainless steel bushing and threaded blind hole, rubber body.

Image not found or type unknown



### Technical information

Código	Elementos standard		Dimensiones principales				Carga máx.	Deflexión máx.	Rigidez	Peso	
	DVA.2-SST										
	Código	Descripción	D	L	d	l	h	[N]	[mm]	[N/mm]	g
44310410101	410101	DVA.2-8-8-SST-M3-6-55	8	8	M3	6	3	75	2	38	1
44310410105	410105	DVA.2-10-10-SST-M4-10-55	10	10	M4	10	4	90	2.5	36	2
	410107	DVA.2-10-15-SST-M4-10-55	10	15	M4	10	4	65	3.75	17	3
	410113	DVA.2-15-10-SST-M4-10-55	15	10	M4	10	4	200	2.5	80	5
44310410115	410115	DVA.2-15-15-SST-M4-10-55	15	15	M4	10	4	130	3.75	35	6

	410117	DVA.2-15-20-SST-M4-10-55	15	20 M4 10 4	150	5	30	7
	410121	DVA.2-20-15-SST-M6-18-55	20	15 M6 18 6	355	3.75	95	15
44310410123	410123	DVA.2-20-20-SST-M6-18-55	20	20 M6 18 6	265	5	53	17
	410125	DVA.2-20-25-SST-M6-18-55	20	25 M6 18 6	315	6.25	50	18
	410131	DVA.2-25-15-SST-M6-18-55	25	15 M6 18 6	690	3.75	184	26
44310410133	410133	DVA.2-25-20-SST-M6-18-55	25	20 M6 18 6	605	5	121	28
	410137	DVA.2-25-30-SST-M6-18-55	25	30 M6 18 6	570	7.5	76	36
	410141	DVA.2-30-15-SST-M8-20-55	30	15 M8 20 8	535	3.75	143	41
44310410143	410143	DVA.2-30-20-SST-M8-20-55	30	20 M8 20 8	1690	4	423	43
	410145	DVA.2-30-30-SST-M8-20-55	30	30 M8 20 8	850	7.5	113	50
	410151	DVA.2-40-20-SST-M8-23-55	40	20 M8 23 8	1510	5	302	73
44310410153	410153	DVA.2-40-30-SST-M8-23-55	40	30 M8 23 8	1530	7.5	204	85
	410155	DVA.2-40-40-SST-M8-23-55	40	40 M8 23 8	1630	10	163	98
	410161	DVA.2-50-20-SST-M10-28-55	50	20M102810	3600	5	720	115
	410163	DVA.2-50-30-SST-M10-28-55	50	30M102810	2575	7.5	343	135
44310410165	410165	DVA.2-50-40-SST-M10-28-55	50	40M102810	2440	10	244	160
	410167	DVA.2-50-45-SST-M10-28-55	50	45M102810	2590	11.25	230	170
	410169	DVA.2-50-50-SST-M10-28-55	50	50M102810	2200	12.5	176	185
	410171	DVA.2-60-30-SST-M10-28-55	60	30M102810	3400	7.5	453	199
44310410173	410173	DVA.2-60-40-SST-M10-28-55	60	40M102810	3330	10	333	220
44310410177	410177	DVA.2-70-45-SST-M10-28-55	70	45M102810	4000	11.25	356	372
	410181	DVA.2-75-25-SST-M12-37-55	75	25M123712	7000	3	2335	321
44310410183	410183	DVA.2-75-40-SST-M12-37-55	75	40M123712	4600	10	460	385
	410185	DVA.2-75-55-SST-M12-37-55	75	55M123712	4510	13.75	328	450
	410191	DVA.2-100-40-SST-M16-41-55	100	40M164116	22500	10	2250	740

	410193	DVA.2-100-55-SST-M16-41-55	100	55M164116	24060	13.75	1750	850
44310410195	410195	DVA.2-100-60-SST-M16-41-55	100	60M164116	18000	15	1200	865
	410197	DVA.2-100-75-SST-M16-41-55	100	75M164116	15940	18.75	850	980