


GN 300.1 Adjustable handle male and female

Adjustable handle GN 300.1

- Lever body in zamac. Coated with black epoxy resin, with matte finish surfaces.
- Threaded bushing, screw and spring in AISI-303 stainless steel.
- [Catalog access](#)

Image not found or type unknown



Technical information

Código	Elementos standard	Dimensiones principales								Agujero Montaje	t min.	Peso
			l 1	d 3	d 4	h 1	h 2	h 3	h 4			
	GN 300,1-30-M3-*	30	10	13	24.5	4	31	3.5	M3	7	26	
	GN 300,1-30-M4-*	30	10	13	24.5	4	31	3.5	M4	9	25	
	GN 300,1-30-M5-*	30	10	13	24.5	4	31	3.5	M5	9	24	
	GN 300,1-30-M6-*	30	10	13	24.5	4	31	3.5	M6	7	24	
	GN 300,1-45-M4-*	45	10	13	24.5	4	35	3.5	M4	9	35	
	GN 300,1-45-M5-*	45	10	13	24.5	4	35	3.5	M5	9	35	
	GN 300,1-45-M6-*	45	10	13	24.5	4	35	3.5	M6	9	33	
	GN 300,1-63-M6-*	63	13.5	17.5	31	6.5	45	4	M6	11	76	
44310GN15131	GN 300,1-63-M8-*	63	13.5	17.5	31	6.5	45	4	M8	11	74	
44310GN15151	GN 300,1-78-M8-*	78	16	21	36	8	55	4	M8	14	123	
	GN 300,1-78-M10-*	78	16	21	36	8	55	4	M10	14	119	
44310GN15171	GN 300,1-92-M10-*	92	19	24	43	11	65	4	M10	17	184	
	GN 300,1-92-M12-*	92	19	24	43	11	65	4	M12	17	178	
	GN 300,1 a 108-M12-*	108	23	30	50.5	12	76	5	M12	22	306	
	GN 300,1 a 108-M16-*	108	23	30	50.5	12	76	5	M16	22	289	

Código	Elementos standard	Dimensiones principales								Agujero Montaje	l 2	Peso
			l 1	d 3	d 4	h 1	h 2	h 3	h 4			
	GN 300,1-30-M3-6-SW	30	10	13	24.5	4	31	3.5	M3	6	26	
	GN 300,1-30-M3-8-SW	30	10	13	24.5	4	31	3.5	M3	8	26	
	GN 300,1-30-M3-10-SW	30	10	13	24.5	4	31	3.5	M3	10	27	
	GN 300,1-30-M3-12-SW	30	10	13	24.5	4	31	3.5	M3	12	27	
	GN 300,1-30-M3-16-SW	30	10	13	24.5	4	31	3.5	M3	16	28	
	GN 300,1-30-M4-12-SW	30	10	13	24.5	4	31	3.5	M4	12	28	
	GN 300,1-30-M4-16-SW	30	10	13	24.5	4	31	3.5	M4	16	29	
	GN 300,1-30-M4-20-SW	30	10	13	24.5	4	31	3.5	M4	20	29	
	GN 300,1-30-M4-25-SW	30	10	13	24.5	4	31	3.5	M4	25	30	
	GN 300,1-30-M4-32-SW	30	10	13	24.5	4	31	3.5	M4	32	31	
	GN 300,1-30-M5-12-SW	30	10	13	24.5	4	31	3.5	M5	12	30	
	GN 300,1-30-M5-16-SW	30	10	13	24.5	4	31	3.5	M5	16	31	
	GN 300,1-30-M5-20-SW	30	10	13	24.5	4	31	3.5	M5	20	32	
	GN 300,1-30-M5-25-SW	30	10	13	24.5	4	31	3.5	M5	25	33	
	GN 300,1-30-M5-32-SW	30	10	13	24.5	4	31	3.5	M5	32	35	
	GN 300,1-30-M5-40-SW	30	10	13	24.5	4	31	3.5	M5	40	37	
	GN 300,1-30-M5-50-SW	30	10	13	24.5	4	31	3.5	M5	50	40	
	GN 300,1-30-M6-12-SW	30	10	13	24.5	4	31	3.5	M6	12	31	
	GN 300,1-30-M6-16-SW	30	10	13	24.5	4	31	3.5	M6	16	32	

	GN 300,1-30-M6-20-SW	30	10	13	24.5	4	31	3.5	M6	20	33
	GN 300,1-30-M6-25-SW	30	10	13	24.5	4	31	3.5	M6	25	35
	GN 300,1-30-M6-32-SW	30	10	13	24.5	4	31	3.5	M6	32	38
	GN 300,1-30-M6-40-SW	30	10	13	24.5	4	31	3.5	M6	40	42
	GN 300,1-30-M6-50-SW	30	10	13	24.5	4	31	3.5	M6	50	45
44310GN15211	GN 300,1-45-M6-16-SW	45	10	13	24.5	4	35	3.5	M6	16	37
	GN 300,1-45-M6-20-SW	45	10	13	24.5	4	35	3.5	M6	20	37
44310GN15231	GN 300,1-45-M6-25-SW	45	38.5	24.5	4	10	M6	25	13	35	38
	GN 300,1-45-M4-12 - *	45	10	13	24.5	4	35	3.5	M4	12	35
	GN 300,1-45-M4-16-*	45	10	13	24.5	4	35	3.5	M4	16	35
	GN 300,1-45-M4-20-*	45	10	13	24.5	4	35	3.5	M4	20	35
	GN 300,1-45-M4-25-*	45	10	13	24.5	4	35	3.5	M4	25	37
	GN 300,1-45-M4-32-*	45	10	13	24.5	4	35	3.5	M4	32	38
	GN 300,1-45-M5-12-*	45	10	13	24.5	4	35	3.5	M5	12	35
	GN 300,1-45-M5-16-*	45	10	13	24.5	4	35	3.5	M5	16	36
	GN 300,1-45-M5-20-*	45	10	13	24.5	4	35	3.5	M5	20	37
	GN 300,1-45-M5-25-*	45	10	13	24.5	4	35	3.5	M5	25	37
	GN 300,1-45-M5-32-*	45	10	13	24.5	4	35	3.5	M5	32	38
	GN 300,1-45-M5-40-*	45	10	13	24.5	4	35	3.5	M5	40	39
	GN 300,1-45-M5-50-*	45	10	13	24.5	4	35	3.5	M5	50	43
	GN 300,1-45-M6-12 *	45	10	13	24.5	4	35	3.5	M6	12	36
	GN 300,1-45-M6-16 *	45	10	13	24.5	4	35	3.5	M6	16	37
	GN 300,1-45-M6-20 *	45	10	13	24.5	4	35	3.5	M6	20	37
	GN 300,1-45-M6-25 *	45	10	13	24.5	4	35	3.5	M6	25	38
	GN 300,1-45-M6-32 *	45	10	13	24.5	4	35	3.5	M6	32	40
	GN 300,1-45-M6-40 *	45	10	13	24.5	4	35	3.5	M6	40	41
	GN 300,1-45-M6-50 *	45	10	13	24.5	4	35	3.5	M6	50	41
	GN 300,1-63-M6-16 *	63	13.5	17.5	31	6.5	45	4	M6	16	80
	GN 300,1-63-M6-20 *	63	13.5	17.5	31	6.5	45	4	M6	20	81
	GN 300,1-63-M6-25 *	63	13.5	17.5	31	6.5	45	4	M6	25	82
	GN 300,1-63-M6-32 *	63	13.5	17.5	31	6.5	45	4	M6	32	83
	GN 300,1-63-M6-40 *	63	13.5	17.5	31	6.5	45	4	M6	40	85
	GN 300,1-63-M6-50 *	63	13.5	17.5	31	6.5	45	4	M6	50	86
	GN 300,1-63-M6-63 *	63	13.5	17.5	31	6.5	45	4	M6	63	88
	GN 300,1-63-M8-16-SW	63	13.5	17.5	31	6.5	45	4	M8	16	83
44310GN15281	GN 300,1-63-M8-20-SW	63	13.5	17.5	31	6.5	45	4	M8	20	84
	GN 300,1-63-M8-25-SW	63	13.5	17.5	31	6.5	45	4	M8	25	86
44310GN15283	GN 300,1-63-M8-32-SW	63	13.5	17.5	31	6.5	45	4	M8	32	88
	GN 300,1-63-M8-40-*	63	13.5	17.5	31	6.5	45	4	M8	40	91
	GN 300,1-63-M8-40-SW	63	13.5	17.5	31	6.5	45	4	M8	40	91

	GN 300,1-63-M8-50-*	63	13.5	17.5	31	6.5	45	4	M8	50	93
	GN 300,1-63-M8-63-*	63	13.5	17.5	31	6.5	45	4	M8	63	98
	GN 300,1-78-M8-20 *	78	16	21	36	8	55	4	M8	20	132
	GN 300,1-78-M8-25 *	78	16	21	36	8	55	4	M8	25	134
	GN 300,1-78-M8-32 *	78	16	21	36	8	55	4	M8	32	135
	GN 300,1-78-M8-40-*	78	16	21	36	8	55	4	M8	40	139
	GN 300,1-78-M8-50-*	78	16	21	36	8	55	4	M8	50	144
	GN 300,1-78-M8-63-*	78	16	21	36	8	55	4	M8	63	151
	GN 300,1-78-M8-80-*	78	16	21	36	8	55	4	M8	80	158
	GN 300,1-78-M10-20-*	78	16	21	36	8	55	4	M10	20	139
44310GN15341	GN 300,1-78-M10-20-SW	78	16	21	36	8	55	4	M10	20	139
	GN 300,1-78-M10-25-*	78	16	21	36	8	55	4	M10	25	141
	GN 300,1-78-M10-25-SW	78	16	21	36	8	55	4	M10	25	141
	GN 300,1-78-M10-32-*	78	16	21	36	8	55	4	M10	32	142
	GN 300,1-78-M10-32-SW	78	16	21	36	8	55	4	M10	32	142
	GN 300,1-78-M10-40-*	78	16	21	36	8	55	4	M10	40	146
	GN 300,1-78-M10-40-SW	78	16	21	36	8	55	4	M10	40	146
	GN 300,1-78-M10-50-*	78	16	21	36	8	55	4	M10	50	152
	GN 300,1-78-M10-63-*	78	16	21	36	8	55	4	M10	63	159
	GN 300,1-78-M10-80-*	78	16	21	36	8	55	4	M10	80	166
	GN 300,1-92-M10-20-*	92	19	24	43	11	65	4	M10	20	202
	GN 300,1-92-M10-25-*	92	19	24	43	11	65	4	M10	25	205
	GN 300,1-92-M10-32-*	92	19	24	43	11	65	4	M10	32	213
	GN 300,1-92-M10-40-*	92	19	24	43	11	65	4	M10	40	215
	GN 300,1-92-M10-50-*	92	19	24	43	11	65	4	M10	50	219
	GN 300,1-92-M10-63-*	92	19	24	43	11	65	4	M10	63	225
	GN 300,1-92-M10-80-*	92	19	24	43	11	65	4	M10	80	235
	GN 300,1-92-M12-20 *	92	19	24	43	11	65	4	M12	20	209
	GN 300,1-92-M12-25 *	92	19	24	43	11	65	4	M12	25	212
	GN 300,1-92-M12-32 *	92	19	24	43	11	65	4	M12	32	217
44310GN15421	GN 300,1-92-M12-32-SW	92	19	24	43	11	65	4	M12	32	217
	GN 300,1-92-M12-40 *	92	19	24	43	11	65	4	M12	40	222
	GN 300,1-92-M12-40-SW	92	19	24	43	11	65	4	M12	40	222
	GN 300,1-92-M12-50-*	92	19	24	43	11	65	4	M12	50	229
	GN 300,1-92-M12-63-*	92	19	24	43	11	65	4	M12	63	239
	GN 300,1-92-M12-80-*	92	19	24	43	11	65	4	M12	80	250
	GN 300,1 a 108-M16-32 *	108	23	30	50.5	12	76	5	M16	32	365
	GN 300,1 a 108-M16-40-*	108	23	30	50.5	12	76	5	M16	40	376
	GN 300,1 a 108-M16-50-*	108	23	30	50.5	12	76	5	M16	50	388
	GN 300,1 a 108-M16-63-*	108	23	30	50.5	12	76	5	M16	63	407

	GN 300,1 a 108-M16-80-*	108	23	30	50.5	12	76	5	M16	80	429
--	-------------------------	-----	----	----	------	----	----	---	-----	----	-----