

Square Tubes/Pipes

Manufacturing Standards: square and rectangular tubes manufactured according to ASTM-A-554 and DIN-2395 Cold rolled 1 mm to 1.5 mm hot-rolled 2.00mm.


Qualities: Austenitic series 304-L, 316-L, 316 Ti have finished pipe in hot or cold rolled (lightly brushed), grinding, polishing or satin.

Protection: polished or satin tubes are plastic coated.

Dimensions: square tubes 10 x 10 mm to 300 x 300 mm. Rectangular tubes 20 x 10 mm to 400 x 200 mm wall thickness of 1.2 to 12.5 mm

Certificates: Product certificates provide if required, according to the following standard: EN 10204/3.1.B or DIN 50049.

Applications: Used in facade structures, chassis for buses, packing machinery, noise suppression structures, support structures, etc..



Technical information

Dimensión del lado	Espesor	Peso	CALIDAD AISI	
			304	316L
mm.	mm.	Kg/mts.		
10	1	0.275	x	x
10	1.2	0.33	*	*
10	1.5	0.413	*	*
15	1	0.453	x	x
15	1.2	0.538	*	*
15	1.5	0.661	x	x
20	1	0.613	x	x
20	1.2	0.729	*	*
20	1.5	0.901	x	x

20	2	1.176	x	x
25	1	0.772	x	x
25	1.2	0.925	*	*
25	1.5	1.146	x	x
25	2	1.495	x	x
25	3	2.216	*	*
30	1	0.932	x	x
30	1.2	1.106	*	*
30	1.5	1.371	x	x
30	2	1.84	x	x
30	3	2.72	x	x
32	1.2	1.19	*	*
32	1.5	1.47	*	*
34	1.2	1.21	*	*
34	1.5	1.49	*	*
35	1.2	1.31	*	*
35	1.5	1.62	x	x
35	2	2.15	x	x
35	3	3.152	*	*
38	1.2	1.415	*	*
38	1.5	1.758	*	*
38	2	2.319	*	*
40	1	1.056	x	x
40	1.2	1.496	*	*
40	1.5	1.859	x	x
40	2	2.454	x	x
40	3	3.756	x	x
40	4	4.808	*	*
45	1.5	2.097	*	*
45	2	2.771	*	*
50	1.5	2.329	x	x
50	2	3.08	x	x
50	3	4.65	x	x
50	4	5.96	x	*
50	5	7.41	*	*
50	6	8.832	*	*
60	1.5	2.802	x	x
60	2	3.711	x	x
60	3	5.491	x	*
60	4	7.222	x	*

60	5	8.902	*	*
70	2	4.38	*	*
70	3	6.53	*	*
70	4	8.45	*	*
70	5	10.629	*	*
80	2	4.988	X	X
80	3	7.53	X	X
80	4	9.807	X	*
80	5	12.395	*	*
80	6	14.6	*	*
100	2	6.4	X	X
100	3	9.53	X	X
100	4	12.4	X	X
100	5	15.38	X	*
100	6	17.5	X	*
100	8	21.6	*	*
100	10	25.8	*	*
120	3	11.3	X	*
120	4	15.03	X	*
120	5	18.66	*	*
120	6	21.2	X	*
120	8	26.58	*	*
120	10	32.37	*	*
150	3	14.064	X	*
150	4	18.624	X	*
150	5	22.4	X	*
150	6	27.36	*	*
150	8	34.3	*	*
150	10	41.65		*
150	12.5	50.57	*	*
200	4	24.6	X	*
200	5	30.8	X	*
200	6	36.9	*	*
200	8	47.25	*	*
200	10	57.6	*	*
200	12.5	69.83	*	*
220	6	39.6	*	*
220	8	51.9	*	*
220	10	63.65	*	*
220	12.5	77.73	*	*

250	5	38.4	*	*
250	6	45.7	*	*
250	8	59.45	*	*
250	10	73.5	*	*
250	12.5	89.6	*	*
300	5	46.2	*	*
300	6	55.3	*	*
300	8	72.8	*	*
300	10	89.8	*	*
x entrega inmediata				
* fabricacion bajo pedido				