


Amortiguador con espárrago roscado en inox DVA.4

Amortiguador antivibratorio con espárrago roscado en acero inoxidable AISI 304 con cuerpo de goma.

Image not found or type unknown



Información técnica

Código	Elementos standard		Dimensiones principales				Carga máx.	Deflexión máx.	Rigidez	Peso
	DVA.4-SST									
	Código	Descripción	D	L	d	l	[N]	[mm]	[N/mm]	g
44310410301	410301	DVA.4-8-8-SST-M3-6-55	8	8	M3	6	40	2	20	3
	410305	DVA.4-10-10-SST-M4-10-55	10	10	M4	10	59	2.5	24	2
44310410307	410307	DVA.4-10-15-SST-M4-10-55	10	15	M4	10	78	3.75	21	3
	410311	DVA.4-15-10-SST-M4-10-55	15	10	M4	10	154	2	77	4
44310410313	410313	DVA.4-15-15-SST-M4-10-55	15	15	M4	10	241	3.75	64	5
	410315	DVA.4-15-20-SST-M4-10-55	15	20	M4	10	287	5	57	7

	410317	DVA.4-15-30-SST-M4-10-55	15	30	M4	10	210	7.5	28	9
	410321	DVA.4-20-10-SST-M6-18-55	20	10	M6	18	315	2.5	126	15
	410323	DVA.4-20-15-SST-M6-18-55	20	15	M6	18	289	3.75	77	10
44310410325	410325	DVA.4-20-20-SST-M6-18-55	20	20	M6	18	302	5	60	13
	410327	DVA.4-20-30-SST-M6-18-55	20	30	M6	18	285	7	38	23
	410331	DVA.4-25-15-SST-M6-18-55	25	15	M6	18	612	3.75	163	18
	410333	DVA.4-25-17-SST-M6-18-55	25	17	M6	18	770	4.25	181	20
44310410335	410335	DVA.4-25-20-SST-M6-18-55	25	20	M6	18	560	5	112	20
	410337	DVA.4-25-30-SST-M6-18-55	25	30	M6	18	509	7.5	68	25
	410341	DVA.4-30-15-SST-M8-20-55	30	15	M8	20	934	3.75	249	30
	410343	DVA.4-30-17-SST-M8-20-55	30	17	M8	20	1960	4.25	460	31
44310410345	410345	DVA.4-30-20-SST-M8-20-55	30	20	M8	20	924	5	185	35
	410347	DVA.4-30-25-SST-M8-20-55	30	25	M8	20	815	6.25	130	38
	410349	DVA.4-30-30-SST-M8-20-55	30	30	M8	20	876	7.5	117	43
	410351	DVA.4-40-20-SST-M8-23-55	40	20	M8	23	1235	5	247	55
	410353	DVA.4-40-25-SST-M8-23-55	40	25	M8	23	1546	6.25	247	60
44310410355	410355	DVA.4-40-30-SST-M8-23-55	40	30	M8	23	1600	7.5	213	73
	410357	DVA.4-40-40-SST-M8-23-55	40	40	M8	23	1820	10	182	83
	410361	DVA.4-50-20-SST-M10-28-55	50	20	M10	28	2587	5	517	90
44310410363	410363	DVA.4-50-30-SST-M10-28-55	50	30	M10	28	2453	7.5	327	118
	410365	DVA.4-50-40-SST-M10-28-55	50	40	M10	28	2468	10	247	140
	410371	DVA.4-60-20-SST-M10-28-55	60	20	M10	28	3630	5	726	219
44310410373	410373	DVA.4-60-40-SST-M10-28-55	60	40	M10	28	3400	10	340	195
	410377	DVA.4-70-40-SST-M10-28-55	70	40	M10	28	4100	10	410	265
44310410379	410379	DVA.4-70-55-SST-M10-28-55	70	55	M10	28	4500	13.75	327	357

	410381	DVA.4-75-25-SST-M12-37-55	75	25M1237	4700	6.25	752	223
44310410383	410383	DVA.4-75-40-SST-M12-37-55	75	40M1237	4500	10	450	310
	410385	DVA.4-75-50-SST-M12-37-55	75	50M1237	4400	12.5	352	340
	410391	DVA.4-100-40-SST-M16-41-55	100	40M1641	14000	10	1400	570
44310410393	410393	DVA.4-100-50-SST-M16-41-55	100	50M1641	16250	12.5	1300	655
	410395	DVA.4-100-60-SST-M16-41-55	100	60M1641	16500	15	1100	830